

# Safety Data Sheet



## SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

### Golden West Signature Heavy Duty - 15W40 CJ-4

**Product Use:** Premium heavy duty motor oil

**Product Number(s):** Gol 046077687515, Gol 046077687522N, Gol 033322000328, Gol 046077310574, Bul 046077410114

**Company Identification**

Golden West Packaging Co.  
13598 Hwy 87 East  
Adkins, TX 78101  
United States of America  
www.alliedsalesco.com

**Transportation Emergency Response**

210-649-1401

**Health Emergency**

210-649-1401

**Product Information**

210-649-1401

## SECTION 2 HAZARDS IDENTIFICATION

**CLASSIFICATION:** This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	70-80

NOTE: If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## SECTION 4 FIRST AID MEASURES

**Description of first aid measures**

**Eye:** Flush eyes with large amounts of water, for at least 15 minutes, until irritation subsides. If irritation persists, get medical attention.

**Skin:** No treatment is necessary under ordinary circumstances. Remove contaminated clothing if necessary. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should seek immediate medical attention.

**Ingestion:** If swallowed, do not induce vomiting. If victim exhibits signs of lung aspiration such as coughing or choking, seek immediate medical attention.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Get medical attention.

#### **Most important symptoms and effects, both acute and delayed**

#### **IMMEDIATE SYMPTOMS AND HEALTH EFFECTS**

**Eye:** Expected to be a minor eye irritant.

**Skin:** Repeated or prolonged skin contact may cause dermatitis.

**Ingestion:** No data available.

**Inhalation:** No data available.

**DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS:** Not classified.

#### **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician:** Treat symptomatically.

### **SECTION 5 FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Use dry chemical, foam, carbon dioxide or water fog.

#### **PROTECTION OF FIRE FIGHTERS:**

**Fire Fighting Instructions:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid breathing smoke and vapor. Water may be used to cool containers exposed to heat or flame.

**Unusual Fire and Explosion Hazards:** This material can burn but will not readily ignite. This material will release vapors when heated above the flashpoint temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flashpoint. Dense smoke may be generated while burning.

**Combustion Products:** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Aldehydes. Ketones. Combustion products of sulfur and nitrogen.

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

**Protective Measures:** Use personal protective equipment as required.

**Spill Management:** Remove sources of ignition. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Take up small spills with absorbent pads. Large spills may be taken up with pump or vacuum.

**Reporting:** No applicable information available.

### **SECTION 7 HANDLING AND STORAGE**

**Precautionary Measures:** Store at ambient conditions. Store at atmospheric pressure. Keep container tightly closed. Store in a cool, well-ventilated place. Keep away from heat, sparks, and flame. Store away from incompatible materials. Empty containers retain product residues.

**General Handling Information:** Handle in accordance with good industrial hygiene and safety practice.

**Static Hazard:** No applicable information available.

**Container Warnings:** No applicable information available.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### GENERAL CONSIDERATIONS:

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

### ENGINEERING CONTROLS:

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. If product is heated above 70°C (155°F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels below recommended exposure limits. Eye wash fountains are recommended.

### PERSONAL PROTECTIVE EQUIPMENT:

**Eye/Face Protection:** Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs.

**Skin Protection:** Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is unavoidable.

**Respiratory Protection:** If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator suitable for oil mist.

**General:** Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive misting may cause slippery floors - wear appropriate footwear.

**Occupational Exposure Limits:** No applicable information available.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

**Attention: The data below are typical values and do not constitute a specification.**

**Color:** Light amber

**Physical State:** Viscous liquid

**Odor:** Typical petroleum

**Odor Threshold:** Not available.

**pH:** Not available.

**Vapor Pressure:** Not available.

**Vapor Density (Air = 1):** >1

**Initial Boiling Point:** Not available.

**Solubility:** Insoluble

**Freezing Point:** Not Applicable.

**Melting Point:** Not Applicable.

**Specific Gravity:** 0.88

**Density:** No data available.

**Viscosity:** No data available.

**Evaporation Rate:** Not determined.

**Decomposition Temperature:** Not determined.

**Octanol/Water Partition Coefficient:** No data available.

### FLAMMABLE PROPERTIES:

**Flammability (solid, gas):** Liquid–Not applicable.

**Flashpoint (Method Used):** 401°F (205°C) **Method Used:** ASTM D-92

**Autoignition:** Not Available

**Flammability (Explosive) Limits (% by volume in air):** Lower: Not determined Upper: Not determined

## SECTION 10 STABILITY AND REACTIVITY

**Reactivity:** Not reactive under normal conditions.

**Chemical Stability:** Stable under recommended storage conditions.

**Incompatibility With Other Materials:** This product may react with strong oxidizing agents.

**Hazardous Decomposition Products:** Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

**Hazardous Polymerization:** Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to Avoid:** Avoid formation of mists. Keep away from heat, sparks and open flame. Incompatible Materials.

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

**Routes of Exposure:** Eyes, Skin, Inhalation, Ingestion; Eyes: Avoid contact with eyes. Skin: Avoid contact with skin. Inhalation: Do not inhale. Ingestion: Do not ingest.

### COMPONENT INFORMATION:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum derived calcium salt 61789-86-4	= 5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	—

**Symptoms:** Please see section 4 of this SDS for symptoms.

**Carcinogenicity:** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical Measures of Toxicity:** Not determined.

## SECTION 12 ECOLOGICAL INFORMATION

**ECOTOXICITY:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### COMPONENT INFORMATION:

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Petroleum derived calcium salt 61789-86-4		5.7 - 9.7: 96 h Pimephales promelas mg/L LC50 static 1.0 - 10.0: 96 h Pimephales promelas mg/L LC50 semistatic		6.2 - 12: 48 h Daphnia magna mg/L EC50

**MOBILITY:** Not determined.

**PERSISTENCE AND DEGRADABILITY:** Not determined.

**POTENTIAL TO BIOACCUMULATE:** Not determined.

**SECTION 13 DISPOSAL CONSIDERATIONS**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**SECTION 14 TRANSPORT INFORMATION**

**Note:** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT Shipping Description:** Not regulated.

**IMDG Shipping Description:** Not regulated.

**IATA Shipping Description:** Not regulated.

**SECTION 15 REGULATORY INFORMATION****INTERNATIONAL INVENTORIES:**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates, hydrotreated heavy paraffinic	Present	X		Present		Present	X	Present	X	X

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**US FEDERAL REGULATIONS:**

**CERCLA:** This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 311/312 CATEGORIES:**

- |                                       |    |
|---------------------------------------|----|
| 1. Immediate (Acute) Health Hazard:   | NO |
| 2. Delayed (Chronic) Health Hazard:   | NO |
| 3. Fire Hazard:                       | NO |
| 4. Sudden Release of Pressure Hazard: | NO |
| 5. Reactivity Hazard:                 | NO |

**SARA 313:**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values%
Zinc alkyl dithiophosphate - 113706-15-3	113706-15-3	<1	1.0

**CWA (Clean Water Act):**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc alkyl dithiophosphate		X		

**US STATE REGULATIONS:**

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations:**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc alkyl dithiophosphate 113706-15-3	X		X

**SECTION 16 OTHER INFORMATION**

**NFPA RATINGS:** Health: 1 Flammability: 1 Instability: 0 Special Hazards: Not determined

**HMIS RATINGS:** Health: 1 Flammability: 1 Physical Hazards: 0 Personal Protection: Not determined

**REVISION STATEMENT:** This revision updates the following sections of this Safety Data Sheet: 1-16.

**Revision Date:** SEPTEMBER 16, 2015

**ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:**

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short-term Exposure Limit	PEL - Permissible Exposure Limit
GHS - Globally Harmonized System	CAS - Chemical Abstract Service Number
ACGIH - American Conference of Governmental Industrial Hygienists	IMO/IMDG - International Maritime Dangerous Goods Code
API - American Petroleum Institute	SDS - Safety Data Sheet
HMIS - Hazardous Materials Information System	NFPA - National Fire Protection Association (USA)
DOT - Department of Transportation (USA)	NTP - National Toxicology Program (USA)
IARC - International Agency for Research on Cancer	OSHA - Occupational Safety and Health Administration
NCEL - New Chemical Exposure Limit	EPA - Environmental Protection Agency
SCBA - Self-Contained Breathing Apparatus	

Prepared according to the 29 CFR 1910.1200 (2012) by Golden West Packaging Company, 13598 Hwy 87 East, Adkins, TX 78101.

**This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of this company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made as to the accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.**